



A large, abstract graphic on the left side of the page, consisting of several overlapping yellow and orange geometric shapes, including triangles and rectangles, creating a dynamic, layered effect.

WINDOW WALL INSTALLATION S67-S77-S91

S67




S67128	
Weight - Bápos	1638.5gr




S67130	
Weight - Bápos	2789gr

S77




S77128	
Weight - Bápos	1692.5gr




S77130	
Weight - Bápos	2842.8gr




S91



S91128	
Weight - Bápos	1756.5gr





S91130	
Weight - Bápos	2849.7gr



S77983	
Weight - Bápos	275.8gr



S77143	
Weight - Bápos	193gr

S77141	
Weight - Bápos	216gr



S77132	
Weight - Bápos	324.8gr


S77131	
Weight - Bápos	583.4gr




S77278	
Weight - Bápos	2974.9gr


S77133	
Weight - Bápos	625.7gr

TOP-BOTTOM INSTALLATION





ALL-AROUND INSTALLATION






Εύρος μετατόπισης πλάκας με προεκτάσεις
κάσας 34 mm

Building movement with frame extenders
up to 34 mm





FRAME COUPLING VERTICAL JOINTS

OPTION 1




OPTION 2







Make sure this connection between the cap and profile is watertight,
Η ένωση μεταξύ της τάπας και του προφίλ πρέπει να είναι στεγανή.




S67




S77





S91






ΤΟΠΟΘΕΤΗΣΗ HEAD RECEPTOR ΓΙΑ ΟΛΕΣ ΤΙΣ ΣΕΙΡΕΣ
INSTALLATION OF HEAD RECEPTOR FOR S67/S77/S91







Ίδια κατεργασία για τα αντίστοιχα προφίλ των τριών σειρών.



Κατεργασία για απορροή ανα 600 mm



S91130 or
S77130 or
S67130



OR

